

Dendrokronologisk Laboratorium

NNU rapportblad ohe 10, 2002

SNAREGADE/NABOLØS, KØBENHAVN

Københavns Bymuseum.
 Indsendt af Claus Nybo.
 Undersøgt af Orla Hylleberg Eriksen.
 NNU j.nr. A8186.

Vandrør

En prøve af *Pinus sp.*, fyr, er undersøgt. Prøven er dateret. Der er barkring på prøven - vinterfældning (64 splintår). Yngste bevarede år på prøven er dannet i 1741 e.Kr. Undersøgelsen viser, at træet, som har leveret tømmer til prøven, må være fældet i vintersæsonen 1741/42.

A8186 Snaregade/Naboløs, KBM 2224 - Synkroniseringer med referencekurver	
	21570019
B&W, København, 21014M02	5.87
Stralsund, DM400002	4.92
Gotland, gotpinus	5.40
MK, Gravsten, stbpin01	2.92

Katalog

21570019 KBM 2224 125 år, heraf 64 splintår - barkring. 1617-1741 e.Kr., 1741/42 e.Kr.	
---	--

[Tilbage til rapportensiden](#)

English summary:

NNU report sheet ohe 10, 2002

SNAREGADE/NABOLØS, KØBENHAVN

Waterpipe

One sample of *Pinus sp.*, pine was examined. The sample was dated. The sample has the bark-ring preserved - winter felling (64 sapwood-rings). The outermost preserved tree-ring on the sample was formed in AD 1741. The analysis shows, that the tree, from which the sample comes was felled in the winter of AD 1741/42.

[Back to report page](#)